

Ice Maker

Product Guide by Blue Ice



Ice Maker Line-up

Undercounter



LUI-150A

LUI-250A

Modular



LMI-300A

LMI-500A

Storage Bin



LB-300S

Water Filter



DH-1S

DH-2S

DH-1R

Exclusive Features



Detachable Front Cover

Detachable front cover helps easy maintenance.



Stainless Steel Evaporator

Long lasting durable stainless steel evaporator produces firm and clear ice.



Firm Leg

Height adjustable and firm leg supports the product.




Air Filter

Easily detachable and cleanable air filter extends product life and reduces maintenance cost.



PCB Display

Users can check every step and error code at a glance. Engineers can easily figure out the problem without visiting the site.



Exclusive Features



PCB Display

Users can check every step and error code at a glance. Engineers can easily figure out the problem without visiting the site.



Side Air Circulation

Side air circulation prevents heat from directly touching users.



Air Filter

Easily detachable and cleanable air filter extends product life and reduces maintenance cost.



Firm Leg

Height adjustable and firm leg supports the product.



Stainless Steel Evaporator

Long lasting durable stainless steel evaporator produces firm and clear ice.


Undercounter Ice Maker



LUI-150A



LUI-250A

		SPECIFICATION		REMARKS
Model	LUI-150A	LUI-250A		
Shape of Ice		crescent ice	10±1g / EA	
Exterior Dimension (W x D x H)	635 x 707 x 975* (mm) 25 x 27.9 x 38.3* (inch)	773 x 763 x 978* (mm) 30.4 x 30 x 38.5* (inch)	* 153mm (6 inch) leg included	
Packing Dimension (W x D x H)	720 x 790 x 995* (mm) 28 x 31 x 39* (inch)	880 x 830 x 995* (mm) 35 x 33 x 39* (inch)	* 153mm (6 inch) leg included	
Net Weight	123lb / 56kg	147lb / 66kg		
Gross Weight	158lb / 71kg	191lb / 113kg		
Ice Production / day	150lbs / 68kg	250lbs / 113kg		
Ice Storage	66lb / 30kg	96lb / 42kg		
Ice Size	38 x 28 x 13 (mm) 1.5 x 1.1 x 0.5 (inch)	38 x 28 x 13 (mm) 1.5 x 1.1 x 0.5 (inch)		
Condenser	air-cooled	air-cooled		
Refrigerant	R-134a	R-404A		
Compressor (hp)	1/3	1/2		
Rated Input (A/W, 115V 60Hz)	7 / 800	9.5 / 1050		
Certification	Safety - ETL Sanitation - ETL Energy Star CE (230 V / 50 Hz)	Safety - UL Sanitation - ETL CE		


Modular Ice Maker



LMI-300A



LMI-500A

		SPECIFICATION		REMARKS
Model	LMI-300A	LMI-500A		
Shape of Ice	 crescent ice		10±1g / EA	
Exterior Dimension (W x D x H)	564 x 696 x 778 (mm) 22.2 x 27.4 x 30.6 (inch)	564 x 696 x 778 (mm) 22.2 x 27.4 x 30.6 (inch)		
Packing Dimension (W x D x H)	680 x 790 x 924 (mm) 27 x 31 x 36 (inch)	680 x 790 x 924 (mm) 27 x 31 x 36 (inch)		
Net Weight	133lb / 60kg	138lb / 62kg		
Gross Weight	167lb / 75kg	173lb / 78kg		
Ice Production / day	300lb / 136kg	500lb / 227kg		
Ice Size	38 x 28 x 13 (mm) 1.5 x 1.1 x 0.5 (inch)	38 x 28 x 13 (mm) 1.5 x 1.1 x 0.5 (inch)		
Condenser	air-cooled	air-cooled		
Refrigerant	R-404A	R-404A		
Compressor (hp)	1/2	3/4		
Rated Input (A/W, 115V 60Hz)	9 / 1000	11 / 1250		
Certification	Safety - UL Sanitation - ETL CE	Safety - UL Sanitation - ETL CE		

Ice Storage Bin



LB-300S

SPECIFICATION		REMARKS
Model	LB-300S	For modular ice makers
Exterior Dimension (W x D x H)	762 x 825 x 1174* (mm) 30 x 32.5 x 46.2* (inch)	* 153mm (6 inch) leg included
Packing Dimension (W x D x H)	860 x 990 x 1174 (mm) 34 x 39 x 46.2 (inch)	
Net Weight	87lbs / 39kg	
Gross Weight	113lbs / 51kg	
Ice Storage	370lbs / 167kg	
Certification	Sanitation – ETL CE	

Water Filtration System



DH-R1



DH-S1



DH-S2

SPECIFICATION			
Model	DH-R1	DH-S1	DH-S2
Flow Rate	2 GPM (7.5 LPM)		
Pressure	30~100 psi (2.1~7.0 kgf / cm ²)		
Temperature	2~38 °C (35~100 °F)		
Filtration	1 micron		
Capacity	79,494 ℓ / 21,000 gallons	79,494 ℓ / 21,000 gallons	159,988 ℓ / 42,000 gallons
Function	Chemical and mechanical reduction		
Inlet & Outlet Size	9.5 mm (3/8 inch)		
Flushing Time	5 minutes or until water runs clear		
Certification	Sanitation - NSF		

Thank You

Please wait for our upcoming products.